

Refine Search

Search Results -

Terms	Documents
L1 and L28	11

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L29

Search History

DATE: Wednesday, May 19, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=OR

Hit Count Set Name

result set

<u>L29</u>	11 and L28	11	<u>L29</u>
<u>L28</u>	Aspergillus niger and 114	11759	<u>L28</u>
<u>L27</u>	11 and L26	7	<u>L27</u>
<u>L26</u>	114 and streptomyces lividans	2768	<u>L26</u>
<u>L25</u>	L24 and 11	11	<u>L25</u>
<u>L24</u>	114 and bacillus licheniformis	6178	<u>L24</u>
<u>L23</u>	114 and bacillus licheniformis	6178	<u>L23</u>
<u>L22</u>	11 and L21	11	<u>L22</u>
<u>L21</u>	bacillus subtilis and 114	22934	<u>L21</u>
<u>L20</u>	11 and L19	11	<u>L20</u>
<u>L19</u>	114 and Saccharomyces cerevisiae	13091	<u>L19</u>
<u>L18</u>	11 and L17	9	<u>L18</u>
<u>L17</u>	114 and pichia pastoris	2533	<u>L17</u>
<u>L16</u>	11 and 114	11	<u>L16</u>

<u>L15</u>	l10 and L14	3	<u>L15</u>
<u>L14</u>	L12 and klebsiella pneumoniae	9019	<u>L14</u>
<u>L13</u>	L12 and klebsiella pneumoniae	9019	<u>L13</u>
<u>L12</u>	L11 and restriction enzyme digest	150116	<u>L12</u>
<u>L11</u>	glycerol dehydratase enzyme	180296	<u>L11</u>
<u>L10</u>	l6 and L9	3	<u>L10</u>
<u>L9</u>	l7 and L8	6	<u>L9</u>
<u>L8</u>	nakamura.in.	13218	<u>L8</u>
<u>L7</u>	nagarajan.in.	193	<u>L7</u>
<u>L6</u>	laffend.in.	4	<u>L6</u>
<u>L5</u>	l3 and l2	3	<u>L5</u>
<u>L4</u>	l1 and L3	11	<u>L4</u>
<u>L3</u>	transformed organism and DNA	131438	<u>L3</u>
<u>L2</u>	(diol or glycerol) near2 (dehydrase or dehydratase)	7	<u>L2</u>
<u>L1</u>	dhab\$ same klebsiella	11	<u>L1</u>

END OF SEARCH HISTORY

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal653hxp

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated
and searchable
NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in
CA/CAPLUS
NEWS 5 FEB 05 German (DE) application and patent publication number format
changes
NEWS 6 MAR 03 MEDLINE and LMEADLINE reloaded
NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 8 MAR 03 FRANCEPAT now available on STN
NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN
NEWS 10 MAR 29 WPIFV now available on STN
NEWS 11 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA
NEWS 12 APR 26 PROMT: New display field available
NEWS 13 APR 26 IFIPAT/IFIUDB/IFICDB: New super search and display field
available
NEWS 14 APR 26 LITAlert now available on STN
NEWS 15 APR 27 NLDB: New search and display fields available
NEWS 16 May 10 PROUSDDR now available on STN
NEWS 17 May 19 PROUSDDR: One FREE connect hour, per account, in both May
and June 2004
NEWS 18 May 12 EXTEND option available in structure searching
NEWS 19 May 12 Polymer links for the POLYLINK command completed in REGISTRY
NEWS 20 May 17 FRFULL now available on STN

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:41:29 ON 19 MAY 2004

=> file medline, uspatful, dgene, embase, wpids, japio, biobusiness, scisearch, fata, jicst

'FATA' IS NOT A VALID FILE NAME

Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files that are available. If you have requested multiple files, you can specify a corrected file name or you can enter "IGNORE" to continue accessing the remaining file names entered.

ENTER A FILE NAME OR (IGNORE):fsta

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 15:42:11 ON 19 MAY 2004

FILE 'USPATFULL' ENTERED AT 15:42:11 ON 19 MAY 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'DGENE' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'EMBASE' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'WPIDS' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'JAPIO' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 Japanese Patent Office (JPO) - JAPIO

FILE 'BIOBUSINESS' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 Biological Abstracts, Inc. (BIOSIS)

FILE 'SCISEARCH' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT 2004 THOMSON ISI

FILE 'FSTA' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 International Food Information Service

FILE 'JICST-EPLUS' ENTERED AT 15:42:11 ON 19 MAY 2004
COPYRIGHT (C) 2004 Japan Science and Technology Agency (JST)

=> s dhb

=>

=> s dhab?

L1 874 DHAB?

=> s klebsiella pneumoniae and l1

L2 123 KLEBSIELLA PNEUMONIAE AND L1

=> e nakamura,v/au

E1	140	NAKAMURA ZENZO/AU
E2	1	NAKAMURA ZYUN/AU
E3	0	--> NAKAMURA,V/AU
E4	2	NAKAMURAA K/AU
E5	1	NAKAMURAA SHIN/AU
E6	11	NAKAMURACRAIG M/AU
E7	1	NAKAMURAD KOUZOU/AU
E8	1	NAKAMURAI H/AU
E9	1	NAKAMURAIMAJO N/AU
E10	1	NAKAMURAJ S/AU
E11	3	NAKAMURAK/AU
E12	1	NAKAMURAKAMIJO M/AU

=> e laffend,l/au

E1 2 LAFFEND LISA A/AU
 E2 4 LAFFEND LISA ANNE/AU
 E3 0 --> LAFFEND,L/AU
 E4 1 LAFFER B G/AU
 E5 14 LAFFER C/AU
 E6 49 LAFFER C L/AU
 E7 5 LAFFER CHERYL L/AU
 E8 6 LAFFER J/AU
 E9 3 LAFFER J L/AU
 E10 3 LAFFER L L A/AU
 E11 1 LAFFER LEONIE L A/AU
 E12 2 LAFFER M/AU

=> s l2 and digest

L3 5 L2 AND DIGEST

=> d l3 ti abs ibib tot

L3 ANSWER 1 OF 5 USPATFULL on STN

TI Method for the recombination of genetic elements

AB A method for the recombination of a gene is disclosed. The method involves the design of unpaired forward and reverse primers having homology to the 5' end of one template and to the 3' end of another template. Short primer extension periods results in a recombined template having paired 5' and 3' ends that can then be amplified. The amplified sample is devoid of any parental template.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2004:18783 USPATFULL

TITLE: Method for the recombination of genetic elements

INVENTOR(S): Milano, Joseph, Claymont, DE, UNITED STATES
 Tang, Xiao-Song, Hockessin, DE, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004014085	A1	20040122
APPLICATION INFO.:	US 2003-374366	A1	20030226 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-360279P	20020226 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805	
NUMBER OF CLAIMS:	57	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	7 Drawing Page(s)	
LINE COUNT:	3857	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L3 ANSWER 2 OF 5 USPATFULL on STN

TI Process for the biological production of 1,3-propanediol with high titer

AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an *E. coli* transformed with the ***Klebsiella pneumoniae*** dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type ***Klebsiella pneumoniae***. In another aspect of the present invention, an improved process for the production

of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:225862 USPATFULL
TITLE: Process for the biological production of
1,3-propanediol with high titer
INVENTOR(S): Emptage, Mark, Wilmington, DE, UNITED STATES
Haynie, Sharon L., Philadelphia, PA, UNITED STATES
Laffend, Lisa A., Claymont, DE, UNITED STATES
Pucci, Jeff P., Pacifica, CA, UNITED STATES
Whited, Gregory Marshall, Belmont, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003157674	A1	20030821
APPLICATION INFO.:	US 2002-277249	A1	20021021 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 2000-641652, filed on 18 Aug 2000, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805	
NUMBER OF CLAIMS:	29	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3915	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L3 ANSWER 3 OF 5 USPATFULL on STN

TI Process for the biological production of 1,3-propanediol with high titer
AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an E. coli transformed with the *Klebsiella pneumoniae* dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type *Klebsiella pneumoniae*. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:33323 USPATFULL

TITLE: Process for the biological production of
1,3-propanediol with high titer
INVENTOR(S): Emptage, Mark, Wilmington, DE, United States
Haynie, Sharon L., Philadelphia, PA, United States
Laffend, Lisa A., Claymont, DE, United States
Pucci, Jeff P., Pacifica, CA, United States
Whited, Gregory, Belmont, CA, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6514733	B1	20030204
APPLICATION INFO.:	US 2000-641652		20000818 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Walicka, Malgorzata A	
NUMBER OF CLAIMS:	6	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)	
LINE COUNT:	3730	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L3 ANSWER 4 OF 5 USPATFULL on STN
TI Bioconversion of a fermentable carbon source to 1,3-propanediol by a
single microorganism
AB A process is provided for the bioconversion of a carbon substrate to
1,3-propanediol by a single organism utilizing either microorganisms
containing the genes encoding for an active glycerol or diol dehydratase
enzyme by contacting these organisms with a carbon substrate under the
appropriate fermentation conditions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
ACCESSION NUMBER: 2000:18270 USPATFULL
TITLE: Bioconversion of a fermentable carbon source to
1,3-propanediol by a single microorganism
INVENTOR(S): Laffend, Lisa Anne, Wilmington, DE, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles Edwin, Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)
Genencor International Inc., Palo Alto, CA, United
States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6025184		20000215
APPLICATION INFO.:	US 1997-966794		19971110 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1995-440293, filed on 12 May 1995, now patented, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Ketter, James		
ASSISTANT EXAMINER:	Yucel, Irem		
NUMBER OF CLAIMS:	4		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)		
LINE COUNT:	1105		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L3 ANSWER 5 OF 5 USPATFULL on STN
TI Bioconversion of a fermentable carbon source to 1,3-propanediol by a single microorganism
AB A process is provided for the bioconversion of a carbon substrate to 1,3-propanediol by a single organism utilizing either microorganisms containing the genes encoding for an active glycerol or diol dehydratase enzyme by contacting these organisms with a carbon substrate under the appropriate fermentation conditions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 97:104308 USPATFULL
TITLE: Bioconversion of a fermentable carbon source to 1,3-propanediol by a single microorganism
INVENTOR(S): Laffend, Lisa Anne, Wilmington, DE, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles Edwin, Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. Du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5686276		19971111
APPLICATION INFO.:	US 1995-440293		19950512 (8)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Lilling, Herbert J.		
NUMBER OF CLAIMS:	16		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)		
LINE COUNT:	1171		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> d his

(FILE 'HOME' ENTERED AT 15:41:29 ON 19 MAY 2004)

FILE 'MEDLINE, USPATFULL, DGENE, EMBASE, WPIDS, JAPIO, BIOBUSINESS, SCISEARCH, FSTA, JICST-EPLUS' ENTERED AT 15:42:11 ON 19 MAY 2004

L1 874 S DHAB?
L2 123 S KLEBSIELLA PNEUMONIAE AND L1
E NAKAMURA,V/AU
E LAFFEND,L/AU
L3 5 S L2 AND DIGEST

=> s 12 and ECORI

L4 18 L2 AND ECORI

=> d 14 ti abs ibib tot

L4 ANSWER 1 OF 18 USPATFULL on STN
TI Method for the recombination of genetic elements
AB A method for the recombination of a gene is disclosed. The method involves the design of unpaired forward and reverse primers having homology to the 5' end of one template and to the 3' end of another template. Short primer extension periods results in a recombined template having paired 5' and 3' ends that can then be amplified. The amplified sample is devoid of any parental template.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2004:18783 USPATFULL
TITLE: Method for the recombination of genetic elements
INVENTOR(S): Milano, Joseph, Claymont, DE, UNITED STATES

Tang, Xiao-Song, Hockessin, DE, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004014085	A1	20040122
APPLICATION INFO.:	US 2003-374366	A1	20030226 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-360279P	20020226 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805	
NUMBER OF CLAIMS:	57	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	7 Drawing Page(s)	
LINE COUNT:	3857	
CAS INDEXING IS AVAILABLE FOR THIS PATENT.		

L4 ANSWER 2 OF 18 USPATFULL on STN

TI Process for the biological production of 1,3-propanediol with high titer

AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an E. coli transformed with the *Klebsiella pneumoniae* dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type *Klebsiella pneumoniae*. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:225862 USPATFULL

TITLE: Process for the biological production of 1,3-propanediol with high titer

INVENTOR(S): Emptage, Mark, Wilmington, DE, UNITED STATES
Haynie, Sharon L., Philadelphia, PA, UNITED STATES
Laffend, Lisa A., Claymont, DE, UNITED STATES
Pucci, Jeff P., Pacifica, CA, UNITED STATES
Whited, Gregory Marshall, Belmont, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003157674	A1	20030821
APPLICATION INFO.:	US 2002-277249	A1	20021021 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 2000-641652, filed on 18 Aug 2000, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	

FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT
RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417
LANCASTER PIKE, WILMINGTON, DE, 19805
NUMBER OF CLAIMS: 29
EXEMPLARY CLAIM: 1
LINE COUNT: 3915
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 3 OF 18 USPATFULL on STN
TI 1,3-propanediol and polymer derivatives from a fermentable carbon source
AB A new polypropylene terephthalate composition is provided. The
polypropylene terephthalate is comprised of 1,3-propanediol and
terephthalate. The 1,3-propanediol is produced by the bioconversion of a
fermentable carbon source, preferable glucose. The resulting
polypropylene terephthalate is distinguished from petrochemically
produced polymer on the basis of dual carbon-isotopic fingerprinting
which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:120275 USPATFULL
TITLE: 1,3-propanediol and polymer derivatives from a
fermentable carbon source
INVENTOR(S): Burch, Robert R., Exton, PA, UNITED STATES
Dorsch, Robert R., Hockessin, DE, UNITED STATES
Laffend, Lisa Anne, Claymont, DE, UNITED STATES
Nagarajan, Vasanth, Wilmington, DE, UNITED STATES
Nakamura, Charles, Claymont, DE, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003082756	A1	20030501
APPLICATION INFO.:	US 2002-213203	A1	20020805 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 1999-369796, filed on 6 Aug 1999, GRANTED, Pat. No. US 6428767 Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, GRANTED, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, GRANTED, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805		
NUMBER OF CLAIMS:	16		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Page(s)		
LINE COUNT:	1785		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 4 OF 18 USPATFULL on STN
TI Process for the biological production of 1,3-propanediol with high titer
AB The present invention provides an improved method for the biological
production of 1,3-propanediol from a fermentable carbon source in a
single microorganism. In one aspect of the present invention, an
improved process for the conversion of glucose to 1,3-propanediol is
achieved by the use of an *E. coli* transformed with the
Klebsiella pneumoniae dha regulon genes dhaR, orfY,
dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and
orfZ, all these genes arranged in the same genetic organization as found
in wild type ***Klebsiella pneumoniae***. In another
aspect of the present invention, an improved process for the production
of 1,3-propanediol from glucose using a recombinant *E. coli* containing
genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a

dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:33323 USPATFULL
TITLE: Process for the biological production of
1,3-propanediol with high titer
INVENTOR(S): Emptage, Mark, Wilmington, DE, United States
Haynie, Sharon L., Philadelphia, PA, United States
Laffend, Lisa A., Claymont, DE, United States
Pucci, Jeff P., Pacifica, CA, United States
Whited, Gregory, Belmont, CA, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6514733	B1	20030204
APPLICATION INFO.:	US 2000-641652		20000818 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Walicka, Malgorzata A	
NUMBER OF CLAIMS:	6	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)	
LINE COUNT:	3730	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 5 OF 18 USPATFULL on STN
TI METHOD FOR THE RECOMBINANT PRODUCTION OF 1,3-PROPANEDIOL
AB The present invention provides an improved method for the production of 1,3-propanediol from a variety of carbon sources is an organism comprising DNA encoding protein X of a dehydratase or protein X in combination with at least one of protein 1, protein 2 and protein 3. The protein X may be isolated from a diol dehydratase or a glycerol dehydratase. The present invention also provides host cells comprising protein X that are capable of increased production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:30376 USPATFULL
TITLE: METHOD FOR THE RECOMBINANT PRODUCTION OF
1,3-PROPANEDIOL
INVENTOR(S): DUNN-COLEMAN, NIGEL, LOS GATOS, CA, UNITED STATES
DIAZ-TORRES, MARIA, SAN MATEO, CA, UNITED STATES
CHASE, MATTHEW W., CHESTERFIELD, MO, UNITED STATES
TRIMBUR, DONALD, REDWOOD CITY, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003022323	A1	20030130
APPLICATION INFO.:	US 1999-308207	A1	19990513 (9)
	WO 1997-US20873		19971113
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		

LEGAL REPRESENTATIVE: DEBRA J GLAISTER, GENENCOR INTERNATIONAL INC, 925 PAGE
MILL ROAD, PALO ALTO, CA, 94304
NUMBER OF CLAIMS: 40
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 27 Drawing Page(s)
LINE COUNT: 4264
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 6 OF 18 USPATFULL on STN

TI Method for the production of 1,3-propanediol by recombinant organisms
comprising genes for vitamin B12 transport
AB Recombinant organisms are provided comprising genes encoding genes
encoding glycerol dehydratase, 1,3-propanediol oxidoreductase, a gene
encoding vitamin B.sub.12 receptor precursor(BtuB), a gene encoding
vitamin B.sub.12 transport system permease protein(BtuC) and a gene
encoding vitamin B.sub.12 transport ATP-binding protein (BtuD). The
recombinant microorganism is contacted with a carbon substrate and
1,3-propanediol is isolated from the growth media.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:201883 USPATFULL
TITLE: Method for the production of 1,3-propanediol by
recombinant organisms comprising genes for vitamin B12
transport
INVENTOR(S): Bulthuis, Ben A., Hoofddorp, NETHERLANDS
Whited, Gregory M., Belmont, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Gatenby, Anthony A., Wilmington, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States
(U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6432686	B1	20020813
APPLICATION INFO.:	US 1999-307973		19990510 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1998-85190P	19980512 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Monshipouri, Maryam	
NUMBER OF CLAIMS:	13	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)	
LINE COUNT:	2037	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 7 OF 18 USPATFULL on STN

TI Method for identifying the source of carbon in 1,3-propanediol
AB A new polypropylene terephthalate composition is provided. The
polypropylene terephthalate is comprised of 1,3-propanediol and
terephthalate. The 1,3-propanediol is produced by the bioconversion of a
fermentatble carbon source, preferable glucose. The resulting
polypropylene terephthalate is distinguished from petrochemically
produced polymer on the basis of dual carbon-isotopic fingerprinting
which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:194542 USPATFULL
TITLE: Method for identifying the source of carbon in

INVENTOR(S): 1,3-propanediol
 Burch, Robert R., Exton, PA, United States
 Dorsch, Robert R., Hockessin, DE, United States
 Laffend, Lisa Anne, Claymont, DE, United States
 Nagarajan, Vasantha, Wilmington, DE, United States
 Nakamura, Charles, Claymont, DE, United States
 PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
 United States (U.S. corporation)
 Genencor International, Inc., Palo Alto, CA, United
 States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6428767	B1	20020806
APPLICATION INFO.:	US 1999-369796		19990806 (9)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, now patented, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, now patented, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	GRANTED		
PRIMARY EXAMINER:	Wang, Andrew		
ASSISTANT EXAMINER:	Zara, Jane		
NUMBER OF CLAIMS:	1		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)		
LINE COUNT:	1761		
CAS INDEXING IS AVAILABLE FOR THIS PATENT.			

L4 ANSWER 8 OF 18 USPATFULL on STN
 TI Method for the recombinant production of 1,3-propanediol
 AB The present invention provides an improved method for the production of
 1,3-propanediol from a variety of carbon sources in an organism capable
 of 1,3-propanediol production and comprising DNA encoding protein X of a
 microorganismal dehydratase or protein X in combination with at least
 one of protein 1, protein 2 and protein 3, which proteins are comparable
 to those encoded by orfY, orfX and orfW, respectively from a
 microorganismal dha regulon. The protein X may be isolated from a diol
 dehydratase or a glycerol dehydratase. The present invention also
 provides host cells comprising protein X that are capable of increased
 production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 ACCESSION NUMBER: 2000:142143 USPATFULL
 TITLE: Method for the recombinant production of
 1,3-propanediol
 INVENTOR(S): Diaz-Torres, Maria, San Mateo, CA, United States
 Dunn-Coleman, Nigel S, Los Gatos, CA, United States
 Chase, Matthew W., Belmont, CA, United States
 Trimbur, Donald, Redwood City, CA, United States
 PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United
 States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6136576		20001024
APPLICATION INFO.:	US 1997-969683		19971113 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-30601P	19961113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Nashed, Nashaat T.	

NUMBER OF CLAIMS: 17
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 27 Drawing Figure(s); 27 Drawing Page(s)
LINE COUNT: 4621
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 9 OF 18 USPATFULL on STN
TI Method for the production of 1,3-propanediol by recombinant microorganisms
AB Recombinant organisms are provided comprising genes encoding glycerol-3-phosphate dehydrogenase, glycerol-3-phosphatase, glycerol dehydratase and 1,3-propanediol oxidoreductase activities useful for the production of 1,3-propanediol from a variety of carbon substrates.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:4657 USPATFULL
TITLE: Method for the production of 1,3-propanediol by recombinant microorganisms
INVENTOR(S): Nakamura, Charles E., Claymont, DE, United States
Gatenby, Anthony A., Wilmington, DE, United States
Hsu, Amy Kuang-Hua, Redwood City, CA, United States
La Reau, Richard D., Mountain View, CA, United States
Haynie, Sharon L., Philadelphia, PA, United States
Diaz-Torres, Maria, San Mateo, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Whited, Gregory M., Belmont, CA, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Payne, Mark S., Wilmington, DE, United States
Picataggio, Stephen K., Landenberg, PA, United States
Nair, Ramesh V., Wilmington, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6013494		20000111
APPLICATION INFO.:	US 1997-968563		19971112 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-30601P	19961113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Railey, II, Johnny F.	
NUMBER OF CLAIMS:	13	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3642	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 10 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN
TI Novel nucleic acid fragment encoding a non-specific catalytic activity for the bioconversion of 3-hydroxypropionaldehyde to 1,3-propanediol -
AN AAF81961 DNA DGENE
AB The present invention an isolated nucleic acid fragment (I) encoding a non-specific catalytic activity for the conversion of 3-hydroxypropionaldehyde to 1,3-propanediol. Also described are: (1) a polypeptide (II) encoded by (I); (2) a chimeric gene (III) comprising (I) operably linked to suitable regulatory sequences; (3) a microorganism (IV) transformed with (III), where (IV) is selected from Citrobacter, Enterobacter, Clostridium, Klebsiella, Aerobacter, Lactobacillus, Aspergillus, Saccharomyces, Schizosaccharomyces, Zygosaccharomyces, Pichia, Kluyveromyces, Candida, Hansenula, Debaromyces, Mucor,

Torulopsis, Methylobacter, Salmonella, Bacillus, Streptomyces and Pseudomonas; (4) a recombinant microorganism (V), useful for the production of 1,3-propanediol; (5) a vector pDT29 (VI) comprising a set of genes *dhaR*, *orfY*, *dhaT*, *orfX*, *orfW*, ***dhaB1***, ***dhaB2***, ***dhaB3*** and *orfZ* with a 12145 base pair sequence (AAF81961); and (6) a vector pKP32 (VII) comprising *dhaR*, *orfY*, *orfX*, *orfW*, ***dhaB1***, ***dhaB2***, ***dhaB3*** and *orfZ* with a sequence (AAF81961). (V) e.g. *Escherichia coli*, is useful for the bioproduction of 1,3-propanediol by contacting (V) with a carbon source, and optionally recovering the 1,3-propanediol produced. A fermentable carbon source can be directly converted to 1,3-propanediol at significantly higher titre resulting in improved economics, and an improved process for the production of 1,3-propanediol from glucose. The present sequence represents a ***Klebsiella pneumoniae*** pKP1 12/1 kb **EcoRI**-SalI DNA fragment, which used in the exemplification of the present invention.

ACCESSION NUMBER: AAF81961 DNA DGENE
 TITLE: Novel nucleic acid fragment encoding a non-specific catalytic activity for the bioconversion of 3-hydroxypropionaldehyde to 1,3-propanediol -
 INVENTOR: Emptage M; Haynie S; Laffend L; Pucci J; Whited G
 PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
 (GEMV) GENENCOR INT INC.
 PATENT INFO: WO 2001012833 A2 20010222 109p
 APPLICATION INFO: WO 2000-US22874 20000818
 PRIORITY INFO: US 1999-149534 19990818
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 OTHER SOURCE: 2001-307889 [32]
 DESCRIPTION: ***Klebsiella pneumoniae*** pKP1 12/1 kb
EcoRI-SalI DNA fragment SEQ ID NO:1.

L4 ANSWER 11 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN
 TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources
 AN AAV42024 DNA DGENE
 AB 2 PCR primers (see AAV42023 and AAV42024) are used to amplify the ***dhaB3*** gene open reading frame (see AAV42014) of ***Klebsiella pneumoniae*** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site and a 3' *XbaI* site. A gene cassette including ***dhaB3*** was utilised by recombinant *Escherichia coli* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42024 DNA DGENE
 TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources
 INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M
 PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
 (GEMV) GENENCOR INT INC.
 PATENT INFO: WO 9821339 A1 19980522 95p
 APPLICATION INFO: WO 1997-US20292 19971110
 PRIORITY INFO: US 1996-30601 19961113
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 OTHER SOURCE: 1998-297942 [26]
 DESCRIPTION: Glycerol dehydratase gamma subunit ***dhaB3*** PCR primer.

L4 ANSWER 12 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN
 TI Fermentative production of 1,3-propanediol - by single organism
 containing cassette comprising specific genes, and capable of using
 inexpensive carbon sources
 AN AAV42023 DNA DGENE
 AB 2 PCR primers (see AAV42023 and AAV42024) are used to amplify the
dhaB3 gene open reading frame (see AAV42014) of
Klebsiella pneumoniae from plasmid pHK28-26 (see
 AAV42022), incorporating a 5' **EcoRI** site and a 3' **XbaI** site. A
 gene cassette including **dhaB3** was utilised by recombinant
Escherichia coli in the conversion of D-glucose to 1,3-propanediol. The
 invention relates to the use of such gene cassettes (see AAV42012-21) for
 the fermentative production of 1,3-propanediol from inexpensive
 C-sources.

ACCESSION NUMBER: AAV42023 DNA DGENE
 TITLE: Fermentative production of 1,3-propanediol - by single
 organism containing cassette comprising specific genes, and
 capable of using inexpensive carbon sources
 INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D;
 Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S
 K; Trimbur D E; Whited G M
 PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
 (GEMV) GENENCOR INT INC.
 PATENT INFO: WO 9821339 A1 19980522 95p
 APPLICATION INFO: WO 1997-US20292 19971110
 PRIORITY INFO: US 1996-30601 19961113
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 OTHER SOURCE: 1998-297942 [26]
 DESCRIPTION: Glycerol dehydratase gamma subunit **dhaB3** PCR
 primer.

L4 ANSWER 13 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN
 TI Fermentative production of 1,3-propanediol - by single organism
 containing cassette comprising specific genes, and capable of using
 inexpensive carbon sources
 AN AAV42040 DNA DGENE
 AB 2 PCR primers (see AAV42039 and AAV42040) are used to amplify the
dhaB1 gene open reading frame (see AAV42012) of
Klebsiella pneumoniae from plasmid pHK28-26 (see
 AAV42022), incorporating a 5' **EcoRI** site. A gene cassette
 including **dhaB2** was utilised by recombinant *Saccharomyces*
cerevisiae in the conversion of D-glucose to 1,3-propanediol. The
 invention relates to the use of such gene cassettes (see AAV42012-21) for
 the fermentative production of 1,3-propanediol from inexpensive
 C-sources.

ACCESSION NUMBER: AAV42040 DNA DGENE
 TITLE: Fermentative production of 1,3-propanediol - by single
 organism containing cassette comprising specific genes, and
 capable of using inexpensive carbon sources
 INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D;
 Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S
 K; Trimbur D E; Whited G M
 PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
 (GEMV) GENENCOR INT INC.
 PATENT INFO: WO 9821339 A1 19980522 95p
 APPLICATION INFO: WO 1997-US20292 19971110
 PRIORITY INFO: US 1996-30601 19961113
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 OTHER SOURCE: 1998-297942 [26]
 DESCRIPTION: Glycerol dehydratase **dhaB1** gene PCR primer.

L4 ANSWER 14 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN

TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

AN AAV42039 DNA DGENE

AB 2 PCR primers (see AAV42039 and AAV42040) are used to amplify the **dhaB1** gene open reading frame (see AAV42012) of **Klebsiella pneumoniae** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site. A gene cassette including **dhaB2** was utilised by recombinant *Saccharomyces cerevisiae* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42039 DNA DGENE

TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M

PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
(GEMV) GENENCOR INT INC.

PATENT INFO: WO 9821339 A1 19980522 95p

APPLICATION INFO: WO 1997-US20292 19971110

PRIORITY INFO: US 1996-30601 19961113

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1998-297942 [26]

DESCRIPTION: Glycerol dehydratase **dhaB1** gene PCR primer.

L4 ANSWER 15 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN

TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

AN AAV42038 DNA DGENE

AB 2 PCR primers (see AAV42037 and AAV42038) are used to amplify the **dhaB2** gene open reading frame (see AAV42013) of **Klebsiella pneumoniae** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site. A gene cassette including **dhaB2** was utilised by recombinant *Saccharomyces cerevisiae* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42038 DNA DGENE

TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M

PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
(GEMV) GENENCOR INT INC.

PATENT INFO: WO 9821339 A1 19980522 95p

APPLICATION INFO: WO 1997-US20292 19971110

PRIORITY INFO: US 1996-30601 19961113

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1998-297942 [26]

DESCRIPTION: Glycerol dehydratase **dhaB2** gene PCR primer.

L4 ANSWER 16 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN

TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using

inexpensive carbon sources

AN AAV42037 DNA DGENE

AB 2 PCR primers (see AAV42037 and AAV42038) are used to amplify the **dhaB2** gene open reading frame (see AAV42013) of **Klebsiella pneumoniae** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site. A gene cassette including **dhaB2** was utilised by recombinant *Saccharomyces cerevisiae* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42037 DNA DGENE

TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M

PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
(GEMV) GENENCOR INT INC.

PATENT INFO: WO 9821339 A1 19980522 95p

APPLICATION INFO: WO 1997-US20292 19971110

PRIORITY INFO: US 1996-30601 19961113

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1998-297942 [26]

DESCRIPTION: Glycerol dehydratase **dhaB2** gene PCR primer.

L4 ANSWER 17 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN

TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

AN AAV42036 DNA DGENE

AB 2 PCR primers (see AAV42035 and AAV42036) are used to amplify the **dhaB3** gene open reading frame (see AAV42014) of **Klebsiella pneumoniae** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site. A gene cassette including **dhaB3** was utilised by recombinant *Saccharomyces cerevisiae* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42036 DNA DGENE

TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M

PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
(GEMV) GENENCOR INT INC.

PATENT INFO: WO 9821339 A1 19980522 95p

APPLICATION INFO: WO 1997-US20292 19971110

PRIORITY INFO: US 1996-30601 19961113

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 1998-297942 [26]

DESCRIPTION: Glycerol dehydratase **dhaB3** gene PCR primer.

L4 ANSWER 18 OF 18 DGENE COPYRIGHT 2004 THOMSON DERWENT on STN

TI Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources

AN AAV42035 DNA DGENE

AB 2 PCR primers (see AAV42035 and AAV42036) are used to amplify the **dhaB3** gene open reading frame (see AAV42014) of **Klebsiella pneumoniae** from plasmid pHK28-26 (see AAV42022), incorporating a 5' **EcoRI** site. A gene cassette including **dhaB3** was utilised by recombinant *Saccharomyces cerevisiae* in the conversion of D-glucose to 1,3-propanediol. The invention relates to the use of such gene cassettes (see AAV42012-21) for the fermentative production of 1,3-propanediol from inexpensive C-sources.

ACCESSION NUMBER: AAV42035 DNA DGENE
TITLE: Fermentative production of 1,3-propanediol - by single organism containing cassette comprising specific genes, and capable of using inexpensive carbon sources
INVENTOR: Dias-Torres M; Gatenby A A; Haynie S L; Hsu A K; Lareau R D; Nagarajan V; Nair R V; Nakamura C E; Payne M S; Picataggio S K; Trimbur D E; Whited G M
PATENT ASSIGNEE: (DUPO)DU PONT DE NEMOURS & CO E I.
(GEMV) GENENCOR INT INC.
PATENT INFO: WO 9821339 A1 19980522 95p
APPLICATION INFO: WO 1997-US20292 19971110
PRIORITY INFO: US 1996-30601 19961113
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 1998-297942 [26]
DESCRIPTION: Glycerol dehydratase **dhaB3** gene PCR primer.

=> d his

(FILE 'HOME' ENTERED AT 15:41:29 ON 19 MAY 2004)

FILE 'MEDLINE, USPATFULL, DGENE, EMBASE, WPIDS, JAPIO, BIOBUSINESS, SCISEARCH, FSTA, JICST-EPLUS' ENTERED AT 15:42:11 ON 19 MAY 2004

L1 874 S DHAB?
L2 123 S KLEBSIELLA PNEUMONIAE AND L1
E NAKAMURA,V/AU
E LAFFEND,L/AU
L3 5 S L2 AND DIGEST
L4 18 S L2 AND ECORI

=> s glycerol dehydratase enzyme
L5 17 GLYCEROL DEHYDRATASE ENZYME

=> d l5 ti abs ibib tot

L5 ANSWER 1 OF 17 USPATFULL on STN
TI Methods for producing end-products from carbon substrates
AB The present invention provides means for the production of desired end-products of in vitro and/or in vivo bioconversion of biomass-based feed stock substrates, including but not limited to such materials as starch and cellulose. In particularly preferred embodiments, the methods of the present invention do not require gelatinization and/or liquefaction of the substrate.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:288696 USPATFULL
TITLE: Methods for producing end-products from carbon substrates
INVENTOR(S): Chotani, Gopal K., Cupertino, CA, UNITED STATES
Kumar, Manoj, Fremont, CA, UNITED STATES
Pucci, Jeff P., Pacifica, CA, UNITED STATES
Sanford, Karl J., Cupertino, CA, UNITED STATES
Shetty, Jayarama K., Pleasanton, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003203454	A1	20031030
APPLICATION INFO.:	US 2003-359771	A1	20030206 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-355260P	20020208 (60)
	US 2002-355180P	20020208 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	KAMRIN T. MACKNIGHT, GENENCOR INTERNATIONAL, INC., 925 PAGE MILL ROAD, PALO ALTO, CA, 94304-1013	
NUMBER OF CLAIMS:	29	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	12 Drawing Page(s)	
LINE COUNT:	2564	
CAS INDEXING IS AVAILABLE FOR THIS PATENT.		

L5 ANSWER 2 OF 17 USPATFULL on STN

TI Process for the biological production of 1,3-propanediol with high titer

AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an E. coli transformed with the Klebsiella pneumoniae dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type Klebsiella pneumoniae. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:225862 USPATFULL

TITLE: Process for the biological production of
1,3-propanediol with high titer

INVENTOR(S): Emptage, Mark, Wilmington, DE, UNITED STATES
Haynie, Sharon L., Philadelphia, PA, UNITED STATES
Laffend, Lisa A., Claymont, DE, UNITED STATES
Pucci, Jeff P., Pacifica, CA, UNITED STATES
Whited, Gregory Marshall, Belmont, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003157674	A1	20030821
APPLICATION INFO.:	US 2002-277249	A1	20021021 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 2000-641652, filed on 18 Aug 2000, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417	

LANCASTER PIKE, WILMINGTON, DE, 19805
NUMBER OF CLAIMS: 29
EXEMPLARY CLAIM: 1
LINE COUNT: 3915
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 3 OF 17 USPATFULL on STN
TI 1,3-propanediol and polymer derivatives from a fermentable carbon source
AB A new polypropylene terephthalate composition is provided. The polypropylene terephthalate is comprised of 1,3-propanediol and terephthalate. The 1,3-propanediol is produced by the bioconversion of a fermentable carbon source, preferable glucose. The resulting polypropylene terephthalate is distinguished from petrochemically produced polymer on the basis of dual carbon-isotopic fingerprinting which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
ACCESSION NUMBER: 2003:120275 USPATFULL
TITLE: 1,3-propanediol and polymer derivatives from a fermentable carbon source
INVENTOR(S): Burch, Robert R., Exton, PA, UNITED STATES
Dorsch, Robert R., Hockessin, DE, UNITED STATES
Laffend, Lisa Anne, Claymont, DE, UNITED STATES
Nagarajan, Vasantha, Wilmington, DE, UNITED STATES
Nakamura, Charles, Claymont, DE, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003082756	A1	20030501
APPLICATION INFO.:	US 2002-213203	A1	20020805 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 1999-369796, filed on 6 Aug 1999, GRANTED, Pat. No. US 6428767 Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, GRANTED, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, GRANTED, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805		
NUMBER OF CLAIMS:	16		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Page(s)		
LINE COUNT:	1785		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 4 OF 17 USPATFULL on STN
TI Process for the biological production of 1,3-propanediol with high titer
AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an E. coli transformed with the Klebsiella pneumoniae dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type Klebsiella pneumoniae. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process

relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:33323 USPATFULL
TITLE: Process for the biological production of
1,3-propanediol with high titer
INVENTOR(S): Emptage, Mark, Wilmington, DE, United States
Haynie, Sharon L., Philadelphia, PA, United States
Laffend, Lisa A., Claymont, DE, United States
Pucci, Jeff P., Pacifica, CA, United States
Whited, Gregory, Belmont, CA, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6514733	B1	20030204
APPLICATION INFO.:	US 2000-641652		20000818 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Walicka, Malgorzata A	
NUMBER OF CLAIMS:	6	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)	
LINE COUNT:	3730	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 5 OF 17 USPATFULL on STN

TI METHOD FOR THE RECOMBINANT PRODUCTION OF 1,3-PROPANEDIOL

AB The present invention provides an improved method for the production of 1,3-propanediol from a variety of carbon sources is an organism comprising DNA encoding protein X of a dehydratase or protein X in combination with at least one of protein 1, protein 2 and protein 3. The protein X may be isolated from a diol dehydratase or a glycerol dehydratase. The present invention also provides host cells comprising protein X that are capable of increased production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:30376 USPATFULL
TITLE: METHOD FOR THE RECOMBINANT PRODUCTION OF
1,3-PROPANEDIOL
INVENTOR(S): DUNN-COLEMAN, NIGEL, LOS GATOS, CA, UNITED STATES
DIAZ-TORRES, MARIA, SAN MATEO, CA, UNITED STATES
CHASE, MATTHEW W., CHESTERFIELD, MO, UNITED STATES
TRIMBUR, DONALD, REDWOOD CITY, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003022323	A1	20030130
APPLICATION INFO.:	US 1999-308207	A1	19990513 (9)
	WO 1997-US20873		19971113
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	DEBRA J GLAISTER, GENENCOR INTERNATIONAL INC, 925 PAGE MILL ROAD, PALO ALTO, CA, 94304		
NUMBER OF CLAIMS:	40		
EXEMPLARY CLAIM:	1		

NUMBER OF DRAWINGS: 27 Drawing Page(s)
LINE COUNT: 4264
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 6 OF 17 USPATFULL on STN

TI Method for the production of 1,3-propanediol by recombinant organisms comprising genes for vitamin B12 transport
AB Recombinant organisms are provided comprising genes encoding genes encoding glycerol dehydratase, 1,3-propanediol oxidoreductase, a gene encoding vitamin B.sub.12 receptor precursor(BtuB), a gene encoding vitamin B.sub.12 transport system permease protein(BtuC) and a gene encoding vitamin B.sub.12 transport ATP-binding protein (BtuD). The recombinant microorganism is contacted with a carbon substrate and 1,3-propanediol is isolated from the growth media.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:201883 USPATFULL
TITLE: Method for the production of 1,3-propanediol by recombinant organisms comprising genes for vitamin B12 transport
INVENTOR(S): Bulthuis, Ben A., Hoofddorp, NETHERLANDS
Whited, Gregory M., Belmont, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Gatenby, Anthony A., Wilmington, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6432686	B1	20020813
APPLICATION INFO.:	US 1999-307973		19990510 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1998-85190P	19980512 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Monshipouri, Maryam	
NUMBER OF CLAIMS:	13	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)	
LINE COUNT:	2037	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 7 OF 17 USPATFULL on STN

TI Method for identifying the source of carbon in 1,3-propanediol
AB A new polypropylene terephthalate composition is provided. The polypropylene terephthalate is comprised of 1,3-propanediol and terephthalate. The 1,3-propanediol is produced by the bioconversion of a fermentatble carbon source, preferable glucose. The resulting polypropylene terephthalate is distinguished from petrochemically produced polymer on the basis of dual carbon-isotopic fingerprinting which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:194542 USPATFULL
TITLE: Method for identifying the source of carbon in 1,3-propanediol
INVENTOR(S): Burch, Robert R., Exton, PA, United States
Dorsch, Robert R., Hockessin, DE, United States
Laffend, Lisa Anne, Claymont, DE, United States

PATENT ASSIGNEE(S): Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles, Claymont, DE, United States
E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)
Genencor International, Inc., Palo Alto, CA, United
States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6428767	B1	20020806
APPLICATION INFO.:	US 1999-369796		19990806 (9)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, now patented, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, now patented, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	GRANTED		
PRIMARY EXAMINER:	Wang, Andrew		
ASSISTANT EXAMINER:	Zara, Jane		
NUMBER OF CLAIMS:	1		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)		
LINE COUNT:	1761		
CAS INDEXING IS AVAILABLE FOR THIS PATENT.			

L5 ANSWER 8 OF 17 USPATFULL on STN

TI Method for the recombinant production of 1,3-propanediol
AB The present invention provides an improved method for the production of
1,3-propanediol from a variety of carbon sources in an organism capable
of 1,3-propanediol production and comprising DNA encoding protein X of a
microorganismal dehydratase or protein X in combination with at least
one of protein 1, protein 2 and protein 3, which proteins are comparable
to those encoded by orfY, orfX and orfW, respectively from a
microorganismal dha regulon. The protein X may be isolated from a diol
dehydratase or a glycerol dehydratase. The present invention also
provides host cells comprising protein X that are capable of increased
production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:142143 USPATFULL
TITLE: Method for the recombinant production of
1,3-propanediol
INVENTOR(S): Diaz-Torres, Maria, San Mateo, CA, United States
Dunn-Coleman, Nigel S, Los Gatos, CA, United States
Chase, Matthew W., Belmont, CA, United States
Trimbur, Donald, Redwood City, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United
States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6136576		20001024
APPLICATION INFO.:	US 1997-969683		19971113 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-30601P	19961113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Nashed, Nashaat T.	
NUMBER OF CLAIMS:	17	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	27 Drawing Figure(s); 27 Drawing Page(s)	
LINE COUNT:	4621	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 9 OF 17 USPATFULL on STN

TI Bioconversion of a fermentable carbon source to 1,3-propanediol by a single microorganism

AB A process is provided for the bioconversion of a carbon substrate to 1,3-propanediol by a single organism utilizing either microorganisms containing the genes encoding for an active glycerol or diol dehydratase enzyme by contacting these organisms with a carbon substrate under the appropriate fermentation conditions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:18270 USPATFULL

TITLE: Bioconversion of a fermentable carbon source to 1,3-propanediol by a single microorganism

INVENTOR(S): Laffend, Lisa Anne, Wilmington, DE, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles Edwin, Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)
Genencor International Inc., Palo Alto, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6025184		20000215
APPLICATION INFO.:	US 1997-966794		19971110 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1995-440293, filed on 12 May 1995, now patented, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Ketter, James		
ASSISTANT EXAMINER:	Yucel, Irem		
NUMBER OF CLAIMS:	4		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)		
LINE COUNT:	1105		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 10 OF 17 USPATFULL on STN

TI Method for the production of 1,3-propanediol by recombinant microorganisms

AB Recombinant organisms are provided comprising genes encoding glycerol-3-phosphate dehydrogenase, glycerol-3-phosphatase, glycerol dehydratase and 1,3-propanediol oxidoreductase activities useful for the production of 1,3-propanediol from a variety of carbon substrates.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:4657 USPATFULL

TITLE: Method for the production of 1,3-propanediol by recombinant microorganisms

INVENTOR(S): Nakamura, Charles E., Claymont, DE, United States
Gatenby, Anthony A., Wilmington, DE, United States
Hsu, Amy Kuang-Hua, Redwood City, CA, United States
La Reau, Richard D., Mountain View, CA, United States
Haynie, Sharon L., Philadelphia, PA, United States
Diaz-Torres, Maria, San Mateo, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Whited, Gregory M., Belmont, CA, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Payne, Mark S., Wilmington, DE, United States
Picataggio, Stephen K., Landenberg, PA, United States
Nair, Ramesh V., Wilmington, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,

United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States
(U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6013494		20000111
APPLICATION INFO.:	US 1997-968563		19971112 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-30601P	19961113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Railey, II, Johnny F.	
NUMBER OF CLAIMS:	13	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3642	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 11 OF 17 USPATFULL on STN

TI Production of 1,3-propanediol from glycerol by recombinant bacteria expressing recombinant diol dehydratase

AB A process is provided for the bioconversion of glycerol to 1,3-propanediol in which genes from a bacteria known to possess a diol dehydratase enzyme for 1,2-propanediol degradation are cloned into a bacterial host and the host is grown in the presence of glycerol; expression of the foreign genes in the host cell facilitates the enzymatic conversion of glycerol to 1,3-propanediol which is isolated from the culture.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 1998:124423 USPATFULL

TITLE: Production of 1,3-propanediol from glycerol by recombinant bacteria expressing recombinant diol dehydratase

INVENTOR(S): Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles Edwin, Claymont, DE, United States

PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5821092		19981013
APPLICATION INFO.:	US 1996-687852		19960726 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1995-440377, filed on 12 May 1995, now patented, Pat. No. US 5633362		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Grimes, Eric		
ASSISTANT EXAMINER:	Nashed, Nashaat T.		
NUMBER OF CLAIMS:	10		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	5 Drawing Figure(s); 4 Drawing Page(s)		
LINE COUNT:	884		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 12 OF 17 USPATFULL on STN

TI Bioconversion of a fermentable carbon source to 1,3-propanediol by a single microorganism

AB A process is provided for the bioconversion of a carbon substrate to 1,3-propanediol by a single organism utilizing either microorganisms containing the genes encoding for an active glycerol or diol dehydratase enzyme by contacting these organisms with a carbon substrate under the

appropriate fermentation conditions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 97:104308 USPATFULL
TITLE: Bioconversion of a fermentable carbon source to
1,3-propanediol by a single microorganism
INVENTOR(S): Laffend, Lisa Anne, Wilmington, DE, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles Edwin, Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. Du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5686276		19971111
APPLICATION INFO.:	US 1995-440293		19950512 (8)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Lilling, Herbert J.		
NUMBER OF CLAIMS:	16		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)		
LINE COUNT:	1171		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 13 OF 17 USPATFULL on STN

TI Production of 1,3-propanediol from glycerol by recombinant bacteria
expressing recombinant diol dehydratase

AB A process is provided for the bioconversion of glycerol to
1,3-propanediol in which genes from a bacteria known to possess a diol
dehydratase enzyme for 1,2-propanediol degradation are cloned into a
bacterial host and the host is grown in the presence of glycerol;
expression of the foreign genes in the host cell facilitates the
enzymatic conversion of glycerol to 1,3-propanediol which is isolated
from the culture.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 97:45122 USPATFULL
TITLE: Production of 1,3-propanediol from glycerol by
recombinant bacteria expressing recombinant diol
dehydratase
INVENTOR(S): Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles E., Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. Du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5633362		19970527
APPLICATION INFO.:	US 1995-440377		19950512 (8)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Zitomer, Stephanie W.		
ASSISTANT EXAMINER:	Fredman, Jeffrey		
NUMBER OF CLAIMS:	10		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	5 Drawing Figure(s); 4 Drawing Page(s)		
LINE COUNT:	831		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 14 OF 17 USPATFULL on STN

TI Process for making 1,3-propanediol from carbohydrates using mixed
microbial cultures

AB The present invention provides a process for the biotransformation of a

carbohydrate carbon source to 1,3-propanediol using mixed yeast and bacterial cultures wherein the carbohydrate is first fermented to glycerol by the yeast cell and then converted to 1,3-propanediol by the bacterial cell containing an active diol or **glycerol dehydratase enzyme** in this process both the yeast and bacterial cultures are supported on the same carbon source, and 1,3-propanediol is isolated from the media.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 97:9921 USPATFULL
 TITLE: Process for making 1,3-propanediol from carbohydrates using mixed microbial cultures
 INVENTOR(S): Haynie, Sharon L., Philadelphia, PA, United States
 Wagner, Lorraine W., Newark, DE, United States
 PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5599689		19970204
APPLICATION INFO.:	US 1995-440379		19950512 (8)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Lilling, Herbert J.		
NUMBER OF CLAIMS:	1		
EXEMPLARY CLAIM:	1		
LINE COUNT:	981		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 15 OF 17 WPIDS COPYRIGHT 2004 THOMSON DERWENT on STN
 TI 1,3-propanediol monomer useful as feed stock for polymers e.g. polypropylene terephthalate, produced by bioconversion of carbon source other than glycerol by single microorganism harboring dehydratase enzyme.
 AN 2001-257443 [26] WPIDS
 CR 1996-518684 [51]
 AB WO 200111070 A UPAB: 20030516
 NOVELTY - 1,3-propanediol (PD) produced by contacting a medium containing a fermentable carbon substrate other than glycerol or dihydroxyacetone with *Klebsiella*, *Citrobacter* or a recombinant *Escherichia* transformed with a gene encoding a diol dehydratase or glycerol dehydratase, incubating the medium and recovering 1,3-PD from the medium, is new.
 DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:
 (1) a polymer (I) comprising at least two repeating units of biosourced 1,3-PD produced by the novel method and selected from biosourced 1,3-PD characterized by a delta 13C of -10.74 to -17.02 and a fM14C of 1.003-1.232, delta 13C of -13.22 to -14.54 and a fM14C of 1.106-1.129 and delta 13C of -13.84 to -13.92 and a fM14C of 1.111-1.124;
 (2) a polymer (II) comprising at least two repeating units of biosourced polypropylene terephthalate comprising 1,3-PD monomer prepared by the novel method and selected from a biosourced polypropylene terephthalate characterized by delta 13C of -23.76 to -25.85 and a fM14C of 0.241-0.373, delta 13C of -24.50 to -25.07 and a fM14C of 0.286-0.326, delta 13C of -24.74 to -24.88 and a fM14C of 0.299-0.309 and delta 13C of -24.75 to -24.82 and a fM14C of 0.303-0.309;
 (3) a co-polymer (III) comprising a blend of two or more polymers, at least one of the polymers comprising biosourced 1,3-PD characterized by a delta 13C of -13.84 to -13.92 and a fM14C of 1.109-1.126;
 (4) an article in the form of a film, fiber, particle, package and a molded article comprising 1,3-PD, (I), (II) or (III); and
 (5) identifying biosourced 1,3-PD in a sample, by purifying 1,3-PD from the sample and characterizing the delta 13C and fM14C of the sample, where a delta 13C of -10.9 to -15.4 and a fM14C of 1.04-1.18, indicates a biosourced 1,3-PD.

USE - 1,3-PD serves as a new feed stock for useful polymers such as 1,3-PD polyol and polypropylene terephthalate. 1,3-PD and polymers derived from it are useful in the production of polyester fibers and in the manufacture of polyurethanes.

ADVANTAGE - Microorganisms harboring the gene for a dehydratase are capable of converting glucose and other sugars through the glycerol degradation pathway to 1,3-PD with good yields and selectivities. The method can be applied to any carbon substrate that is readily converted to glycerol or dihydroxyacetone.

Dwg. 0/6

ACCESSION NUMBER: 2001-257443 [26] WPIDS
 CROSS REFERENCE: 1996-518684 [51]
 DOC. NO. CPI: C2001-077475
 TITLE: 1,3-propanediol monomer useful as feed stock for polymers e.g. polypropylene terephthalate, produced by bioconversion of carbon source other than glycerol by single microorganism harboring dehydratase enzyme.
 DERWENT CLASS: A23 D16 E17
 INVENTOR(S): BURCH, R R; DORSCH, R R; LAFFEND, L A; NAGARAJAN, V; NAKAMURA, C
 PATENT ASSIGNEE(S): (DUPO) DU PONT DE NEMOURS & CO E I; (BURC-I) BURCH R R; (DORS-I) DORSCH R R; (LAFF-I) LAFFEND L A; (NAGA-I) NAGARAJAN V; (NAKA-I) NAKAMURA C; (GEMV) GENENCOR INT INC
 COUNTRY COUNT: 30
 PATENT INFORMATION:

PATENT NO	KIND	DATE	WEEK	LA	PG
WO 2001011070	A2	20010215	(200126)*	EN	48
RW: AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE					
W: BR CA CN ID IN JP KR MX SG TR					
EP 1222303	A2	20020717	(200254)	EN	
R: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE					
US 6428767	B1	20020806	(200254)		
US 2003082756	A1	20030501	(200331)		

APPLICATION DETAILS:

PATENT NO	KIND	APPLICATION	DATE
WO 2001011070	A2	WO 2000-US21459	20000807
EP 1222303	A2	EP 2000-952572	20000807
		WO 2000-US21459	20000807
US 6428767	B1 Div ex	US 1995-440293	19950512
	CIP of	US 1997-966794	19971110
		US 1999-369796	19990806
US 2003082756	A1 Div ex	US 1995-440293	19950512
	CIP of	US 1997-966794	19971110
	Div ex	US 1999-369796	19990806
		US 2002-213203	20020805

FILING DETAILS:

PATENT NO	KIND	PATENT NO
EP 1222303	A2 Based on	WO 2001011070
US 6428767	B1 Div ex	US 5686276
	CIP of	US 6025184
US 2003082756	A1 Div ex	US 5686276
	CIP of	US 6025184
	Div ex	US 6428767

PRIORITY APPLN. INFO: US 1999-369796 19990806; US
 1995-440293 19950512; US

1997-966794 19971110; US
2002-213203 20020805

L5 ANSWER 16 OF 17 WPIDS COPYRIGHT 2004 THOMSON DERWENT on STN
TI Production of a monomer which is used in the manufacture of polyester
fiber, polyurethane and cyclic compounds.
AN 2000-053104 [04] WPIDS
AB WO 9958686 A UPAB: 20000124
NOVELTY - The monomer, 1,3-propanediol (I), is biologically produced by
using a transformed host cell (C) comprising at least one copy of gene
encoding BtuB, BtuC and BtuD.

DETAILED DESCRIPTION - The (I) is produced by the steps comprising:

(1) contacting the transformed (C) with at least one fermentable
common source and an effective amount of vitamin B12. The transformed (C)
comprises at least one copy of genes encoding a protein having dehydratase
activity (a), a protein having an oxidoreductase activity (b), a vitamin
B12 receptor precursor protein (c), a vitamin B12 transport system
permease protein (d), and a vitamin B12 transport ATP or GTP-binding
protein (e); and

(2) recovering (I) produced by (i).

An INDEPENDENT CLAIM is also included for the transformed (C)
described above.

USE - The method is used to produce (I) (claimed) which is employed
in the manufacture of polyester fiber, polyurethane and cyclic compounds.

ADVANTAGE - The method produces 1,3-propanediol rapidly and it is
inexpensive. Increased production of the compound is obtained (E.coli
strains FM5/pDT24 and FM5/pDT24/pBCDE were cultured and production of
1,3-propanediol was checked after adding 0.4 mu M coenzyme B12. The latter
strain showed increased monomer production (e.g. 2.4 g/L but the former
strain showed 2.0 g/L monomer production))

Dwg.0/0

ACCESSION NUMBER: 2000-053104 [04] WPIDS
DOC. NO. CPI: C2000-013808
TITLE: Production of a monomer which is used in the manufacture
of polyester fiber, polyurethane and cyclic compounds.
DERWENT CLASS: A41 D16 E17
INVENTOR(S): BULTHUIS, B; GATENBY, A A; TRIMBUR, D E; WHITED, G M;
BULTHUIS, B A
PATENT ASSIGNEE(S): (DUPO) DU PONT DE NEMOURS & CO E I; (GEMV) GENENCOR INT
INC; (GEMV) GENENCOR INT
COUNTRY COUNT: 30
PATENT INFORMATION:

PATENT NO	KIND	DATE	WEEK	LA	PG
WO 9958686	A2	19991118	(200004)*	EN	61
RW: AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE					
W: AU BR CA CN ID IL JP KR MX SG US					
AU 9938997	A	19991129	(200018)		
EP 1076708	A2	20010221	(200111)	EN	
R: BE CH DE DK ES FR GB IE IT LI NL					
CN 1300321	A	20010620	(200159)		
BR 9910519	A	20010904	(200160)		
KR 2001043531	A	20010525	(200168)		
MX 2000010723	A1	20010501	(200227)		
JP 2002514426	W	20020521	(200236)		78
US 6432686	B1	20020813	(200255)		

APPLICATION DETAILS:

PATENT NO	KIND	APPLICATION	DATE
WO 9958686	A2	WO 1999-US10356	19990512
AU 9938997	A	AU 1999-38997	19990512

EP 1076708	A2	EP 1999-921903	19990512
		WO 1999-US10356	19990512
CN 1300321	A	CN 1999-806120	19990512
BR 9910519	A	BR 1999-10519	19990512
		WO 1999-US10356	19990512
KR 2001043531	A	KR 2000-712634	20001111
MX 2000010723	A1	MX 2000-10723	20001031
JP 2002514426	W	WO 1999-US10356	19990512
		JP 2000-548477	19990512
US 6432686	B1 Provisional	US 1998-85190P	19980512
		US 1999-307973	19990510

FILING DETAILS:

PATENT NO	KIND	PATENT NO
AU 9938997	A Based on	WO 9958686
EP 1076708	A2 Based on	WO 9958686
BR 9910519	A Based on	WO 9958686
JP 2002514426	W Based on	WO 9958686

PRIORITY APPLN. INFO: US 1998-85190P 19980512; US
1999-307973 19990510

L5 ANSWER 17 OF 17 WPIDS COPYRIGHT 2004 THOMSON DERWENT on STN
TI Fermentative production of 1,3-propane-diol useful for polymer production -
from

carbon substrates using mixed culture of glycerol-producing and
diol-producing organisms.

AN 1996-518687 [51] WPIDS

AB WO 9635799 A UPAB: 19961219

Production of 1,3-propanediol (I) comprises incubating a carbon substrate with
a mixed culture of a glycerol-producing organism (A) and a diol producing
organism (B).

Pref. A) is used at at least 1 million cells/ml and the (A):(B) ratio
is 0.04-100, pref. 0.4-5.1. The substrate may be mixed with the co-culture
or fermentation is with (A) first and then with (B). Partic. both
organisms are used at 10-100 million cells/ml. Fermentation is by batch,
fed-batch or continuous methods. (A) is an (an)aerobic bacterium, fungus,
alga or yeast, pref. *Aspergillus*, *Saccharomyces*, *Zygosaccharomyces*,
Pichia, *Bacillus*, *Kluyveromyces*, *Candida*, *Hansenula*, *Dunaliella*,
Debaromyces, *Mucor*, *Torulopsis*, *Methylobacterium*, *Escherichia* or a
recombinant cell, especially pref. is *S. cerevisiae* ATCC 64236. (B) is able to
produce diol or glycerol dehydratase and is e.g. *Citrobacter*,
Enterobacter, *Clostridium*, *Klebsiella*, *Lactobacillus* or a recombinant
cell, especially *Klebsiella*, *Citrobacter* or recombinant *E. coli* DH5-alpha pKP
(ATCC 66789) or pKP4 (ATCC 69790).

USE - (I) is useful as a comonomer for fibres and film-forming
polymers, also as an additive to improve physical properties and
performance of other substances and articles (no more details).

ADVANTAGE - (I) can now be produced from unrefined carbohydrates,
without difficulties of catabolite repression, feedback inhibition and
carbon source diversion.

Dwg. 0/0

ABEQ US 5599689 A UPAB: 19970313

A biological process for preparing 1,3-propanediol comprises: (a) mixing a
glycerol-producing organism at a cell density of at least 1×10^6 cells/ml
and a diol-producing organism at a cell ratio of glycerol-producing
organism to diol-producing organism of at least 0.04 to 1.0 to yield a
mixed culture medium, wherein the glycerol-producing organism is selected
from the group consisting of members of the genera *Aspergillus*,
Saccharomyces, *Zygosaccharomyces*, *Pichia*, *Bacillus*, *Kluyveromyces*, *Candida*
sp., *Hansenula* sp., *Dunaliella* sp., *Debaromyces* sp., *Mucor*, *Torulopsis*,
Methylobacteria, *Escherichia*, and recombinant organisms transformed with

the genes necessary for glycerol production, and wherein the diol-producing organism is selected from the group consisting of members of the genera Citrobacter, Enterobacter, Clostridium, Klebsiella, Lactobacillus, recombinant organisms transformed with a gene encoding a diol dehydratase enzyme or a **glycerol dehydratase enzyme**, and mutants having phenotypes which enhance production of 1,3-propanediol; (b) contacting the mixed culture medium with a carbon substrate having at least a single carbon atom selected from the group consisting of monosaccharides, oligosaccharides, polysaccharides, carbon dioxide, methanol, formaldehyde, formate, and carbon-containing amines; (c) incubating the mixed culture medium under suitable conditions to produce 1,3-propanediol; and (d) recovering the 1,3-propanediol.

Dwg.0/0

ACCESSION NUMBER: 1996-518687 [51] WPIDS
 DOC. NO. CPI: C1996-162925
 TITLE: Fermentative production of 1,3-propane-diol useful for polymer production - from carbon substrates using mixed culture of glycerol-producing and diol-producing organisms.
 DERWENT CLASS: A41 D16 E17
 INVENTOR(S): HAYNIE, S L; WAGNER, L W
 PATENT ASSIGNEE(S): (DUPO) DU PONT DE NEMOURS & CO E I
 COUNTRY COUNT: 63
 PATENT INFORMATION:

PATENT NO	KIND	DATE	WEEK	LA	PG
WO 9635799	A1	19961114	(199651)*	EN	30
RW: AT BE CH DE DK EA ES FI FR GB GR IE IT KE LS LU MC MW NL OA PT SD					
SE SZ UG					
W: AL AU BB BG BR CA CN CZ EE GE HU IS JP KP KR LK LR LT LV MD MG MK					
MN MX NO NZ PL RO SG SI SK TR TT UA US UZ VN					
US 5599689	A	19970204	(199711)		11
AU 9657228	A	19961129	(199712)		
EP 824595	A1	19980225	(199812)	EN	
R: AT BE CH DE DK ES FI FR GB IE IT LI NL PT SE					
JP 10507082	W	19980714	(199838)		42
JP 3053436	B2	20000619	(200033)		19
EP 824595	B1	20011205	(200203)	EN	
R: AT BE CH DE DK ES FI FR GB IE IT LI NL PT SE					
DE 69617672	E	20020117	(200213)		
ES 2165500	T3	20020316	(200227)		

APPLICATION DETAILS:

PATENT NO	KIND	APPLICATION	DATE
WO 9635799	A1	WO 1996-US6161	19960502
US 5599689	A	US 1995-440379	19950512
AU 9657228	A	AU 1996-57228	19960502
EP 824595	A1	EP 1996-915459	19960502
		WO 1996-US6161	19960502
JP 10507082	W	JP 1996-534128	19960502
		WO 1996-US6161	19960502
JP 3053436	B2	JP 1996-534128	19960502
		WO 1996-US6161	19960502
EP 824595	B1	EP 1996-915459	19960502
		WO 1996-US6161	19960502
DE 69617672	E	DE 1996-617672	19960502
		EP 1996-915459	19960502
		WO 1996-US6161	19960502
ES 2165500	T3	EP 1996-915459	19960502

FILING DETAILS:

PATENT NO	KIND	PATENT NO
AU 9657228	A Based on	WO 9635799
EP 824595	A1 Based on	WO 9635799
JP 10507082	W Based on	WO 9635799
JP 3053436	B2 Previous Publ. Based on	JP 10507082 WO 9635799
EP 824595	B1 Based on	WO 9635799
DE 69617672	E Based on Based on	EP 824595 WO 9635799
ES 2165500	T3 Based on	EP 824595

PRIORITY APPLN. INFO: US 1995-440379 19950512

=> d his

(FILE 'HOME' ENTERED AT 15:41:29 ON 19 MAY 2004)

FILE 'MEDLINE, USPATFULL, DGENE, EMBASE, WPIDS, JAPIO, BIOBUSINESS, SCISEARCH, FSTA, JICST-EPLUS' ENTERED AT 15:42:11 ON 19 MAY 2004

L1 874 S DHAB?
L2 123 S KLEBSIELLA PNEUMONIAE AND L1
E NAKAMURA,V/AU
E LAFFEND,L/AU
L3 5 S L2 AND DIGEST
L4 18 S L2 AND ECORI
L5 17 S GLYCEROL DEHYDRATASE ENZYME

=> e nagarajan,v/au

E1 1 NAGARAJAN VENUGOPALAN/AU
E2 1 NAGARAJAN VIJAY G/AU
E3 0 --> NAGARAJAN,V/AU
E4 1 NAGARAJAPPA C S/AU
E5 1 NAGARAJAPPA H/AU
E6 2 NAGARAJAPPA N/AU
E7 42 NAGARAJARAM H A/AU
E8 3 NAGARAJARAM HAMPAPATHALU A/AU
E9 1 NAGARAJARAO JAYAKUMAR/AU
E10 1 NAGARAJARAO RAMESH MYSORE/AU
E11 11 NAGARAJARAO Y/AU
E12 1 NAGARAJASHARMA A/AU

=> s transformed organism () Klebsiella pneumoniae
L6 0 TRANSFORMED ORGANISM (W) KLEBSIELLA PNEUMONIAE

=> s 15 and encoding DNA
L7 0 L5 AND ENCODING DNA

=> s 15 and DNA
L8 14 L5 AND DNA

=> s 18 and ECORI
L9 8 L8 AND ECORI

=> d 19 ti abs ibib tot

L9 ANSWER 1 OF 8 USPATFULL on STN
TI Process for the biological production of 1,3-propanediol with high titer
AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is

achieved by the use of an E. coli transformed with the Klebsiella pneumoniae dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type Klebsiella pneumoniae. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:225862 USPATFULL
 TITLE: Process for the biological production of 1,3-propanediol with high titer
 INVENTOR(S): Emptage, Mark, Wilmington, DE, UNITED STATES
 Haynie, Sharon L., Philadelphia, PA, UNITED STATES
 Laffend, Lisa A., Claymont, DE, UNITED STATES
 Pucci, Jeff P., Pacifica, CA, UNITED STATES
 Whited, Gregory Marshall, Belmont, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003157674	A1	20030821
APPLICATION INFO.:	US 2002-277249	A1	20021021 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 2000-641652, filed on 18 Aug 2000, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805	
NUMBER OF CLAIMS:	29	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3915	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 2 OF 8 USPATFULL on STN
 TI 1,3-propanediol and polymer derivatives from a fermentable carbon source
 AB A new polypropylene terephthalate composition is provided. The polypropylene terephthalate is comprised of 1,3-propanediol and terephthalate. The 1,3-propanediol is produced by the bioconversion of a fermentable carbon source, preferable glucose. The resulting polypropylene terephthalate is distinguished from petrochemically produced polymer on the basis of dual carbon-isotopic fingerprinting which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:120275 USPATFULL
 TITLE: 1,3-propanediol and polymer derivatives from a fermentable carbon source
 INVENTOR(S): Burch, Robert R., Exton, PA, UNITED STATES
 Dorsch, Robert R., Hockessin, DE, UNITED STATES
 Laffend, Lisa Anne, Claymont, DE, UNITED STATES
 Nagarajan, Vasantha, Wilmington, DE, UNITED STATES
 Nakamura, Charles, Claymont, DE, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003082756	A1	20030501
APPLICATION INFO.:	US 2002-213203	A1	20020805 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 1999-369796, filed on 6 Aug 1999, GRANTED, Pat. No. US 6428767 Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, GRANTED, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, GRANTED, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	E I DU PONT DE NEMOURS AND COMPANY, LEGAL PATENT RECORDS CENTER, BARLEY MILL PLAZA 25/1128, 4417 LANCASTER PIKE, WILMINGTON, DE, 19805		
NUMBER OF CLAIMS:	16		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Page(s)		
LINE COUNT:	1785		
CAS INDEXING IS AVAILABLE FOR THIS PATENT.			

L9 ANSWER 3 OF 8 USPATFULL on STN

TI Process for the biological production of 1,3-propanediol with high titer

AB The present invention provides an improved method for the biological production of 1,3-propanediol from a fermentable carbon source in a single microorganism. In one aspect of the present invention, an improved process for the conversion of glucose to 1,3-propanediol is achieved by the use of an E. coli transformed with the Klebsiella pneumoniae dha regulon genes dhaR, orfY, dhaT, orfX, orfW, dhaB1, dhaB2, dhaB3, and orfZ, all these genes arranged in the same genetic organization as found in wild type Klebsiella pneumoniae. In another aspect of the present invention, an improved process for the production of 1,3-propanediol from glucose using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, and a dehydratase reactivation factor compared to an identical process using a recombinant E. coli containing genes encoding a G3PDH, a G3P phosphatase, a dehydratase, a dehydratase reactivation factor and a 1,3-propanediol oxidoreductase (dhaT). The dramatically improved process relies on the presence in E. coli of a gene encoding a non-specific catalytic activity sufficient to convert 3-hydroxypropionaldehyde to 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:33323 USPATFULL

TITLE: Process for the biological production of 1,3-propanediol with high titer

INVENTOR(S): Emptage, Mark, Wilmington, DE, United States
Haynie, Sharon L., Philadelphia, PA, United States
Laffend, Lisa A., Claymont, DE, United States
Pucci, Jeff P., Pacifica, CA, United States
Whited, Gregory, Belmont, CA, United States

PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6514733	B1	20030204
APPLICATION INFO.:	US 2000-641652		20000818 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1999-149534P	19990818 (60)
DOCUMENT TYPE:	Utility	

FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Prouty, Rebecca E.
ASSISTANT EXAMINER: Walicka, Malgorzata A
NUMBER OF CLAIMS: 6
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 6 Drawing Figure(s); 6 Drawing Page(s)
LINE COUNT: 3730
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 4 OF 8 USPATFULL on STN
TI METHOD FOR THE RECOMBINANT PRODUCTION OF 1,3-PROPANEDIOL
AB The present invention provides an improved method for the production of 1,3-propanediol from a variety of carbon sources is an organism comprising DNA encoding protein X of a dehydratase or protein X in combination with at least one of protein 1, protein 2 and protein 3. The protein X may be isolated from a diol dehydratase or a glycerol dehydratase. The present invention also provides host cells comprising protein X that are capable of increased production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2003:30376 USPATFULL
TITLE: METHOD FOR THE RECOMBINANT PRODUCTION OF 1,3-PROPANEDIOL
INVENTOR(S): DUNN-COLEMAN, NIGEL, LOS GATOS, CA, UNITED STATES
DIAZ-TORRES, MARIA, SAN MATEO, CA, UNITED STATES
CHASE, MATTHEW W., CHESTERFIELD, MO, UNITED STATES
TRIMBUR, DONALD, REDWOOD CITY, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003022323	A1	20030130
APPLICATION INFO.:	US 1999-308207	A1	19990513 (9)
	WO 1997-US20873		19971113
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	DEBRA J GLAISTER, GENENCOR INTERNATIONAL INC, 925 PAGE MILL ROAD, PALO ALTO, CA, 94304		
NUMBER OF CLAIMS:	40		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	27 Drawing Page(s)		
LINE COUNT:	4264		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 5 OF 8 USPATFULL on STN
TI Method for the production of 1,3-propanediol by recombinant organisms comprising genes for vitamin B12 transport
AB Recombinant organisms are provided comprising genes encoding genes encoding glycerol dehydratase, 1,3-propanediol oxidoreductase, a gene encoding vitamin B.sub.12 receptor precursor(BtuB), a gene encoding vitamin B.sub.12 transport system permease protein(BtuC) and a gene encoding vitamin B.sub.12 transport ATP-binding protein (BtuD). The recombinant microorganism is contacted with a carbon substrate and 1,3-propanediol is isolated from the growth media.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:201883 USPATFULL
TITLE: Method for the production of 1,3-propanediol by recombinant organisms comprising genes for vitamin B12 transport
INVENTOR(S): Bulthuis, Ben A., Hoofddorp, NETHERLANDS
Whited, Gregory M., Belmont, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Gatenby, Anthony A., Wilmington, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE,

United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States
(U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6432686	B1	20020813
APPLICATION INFO.:	US 1999-307973		19990510 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1998-85190P	19980512 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Prouty, Rebecca E.	
ASSISTANT EXAMINER:	Monshipouri, Maryam	
NUMBER OF CLAIMS:	13	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)	
LINE COUNT:	2037	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 6 OF 8 USPATFULL on STN
TI Method for identifying the source of carbon in 1,3-propanediol
AB A new polypropylene terephthalate composition is provided. The polypropylene terephthalate is comprised of 1,3-propanediol and terephthalate. The 1,3-propanediol is produced by the bioconversion of a fermentatble carbon source, preferable glucose. The resulting polypropylene terephthalate is distinguished from petrochemically produced polymer on the basis of dual carbon-isotopic fingerprinting which indicates both the source and the age of the carbon.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2002:194542 USPATFULL
TITLE: Method for identifying the source of carbon in 1,3-propanediol
INVENTOR(S): Burch, Robert R., Exton, PA, United States
Dorsch, Robert R., Hockessin, DE, United States
Laffend, Lisa Anne, Claymont, DE, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Nakamura, Charles, Claymont, DE, United States
PATENT ASSIGNEE(S): E. I. du Pont de Nemours and Company, Wilmington, DE, United States (U.S. corporation)
Genencor International, Inc., Palo Alto, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6428767	B1	20020806
APPLICATION INFO.:	US 1999-369796		19990806 (9)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1997-966794, filed on 10 Nov 1997, now patented, Pat. No. US 6025184 Division of Ser. No. US 1995-440293, filed on 12 May 1995, now patented, Pat. No. US 5686276		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	GRANTED		
PRIMARY EXAMINER:	Wang, Andrew		
ASSISTANT EXAMINER:	Zara, Jane		
NUMBER OF CLAIMS:	1		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)		
LINE COUNT:	1761		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 7 OF 8 USPATFULL on STN

TI Method for the recombinant production of 1,3-propanediol
AB The present invention provides an improved method for the production of 1,3-propanediol from a variety of carbon sources in an organism capable of 1,3-propanediol production and comprising DNA encoding protein X of a microorganismal dehydratase or protein X in combination with at least one of protein 1, protein 2 and protein 3, which proteins are comparable to those encoded by orfY, orfX and orfW, respectively from a microorganismal dha regulon. The protein X may be isolated from a diol dehydratase or a glycerol dehydratase. The present invention also provides host cells comprising protein X that are capable of increased production of 1,3-propanediol.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:142143 USPATFULL
TITLE: Method for the recombinant production of 1,3-propanediol
INVENTOR(S): Diaz-Torres, Maria, San Mateo, CA, United States
Dunn-Coleman, Nigel S, Los Gatos, CA, United States
Chase, Matthew W., Belmont, CA, United States
Trimbur, Donald, Redwood City, CA, United States
PATENT ASSIGNEE(S): Genencor International, Inc., Rochester, NY, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6136576		20001024
APPLICATION INFO.:	US 1997-969683		19971113 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-30601P	19961113 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Nashed, Nashaat T.	
NUMBER OF CLAIMS:	17	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	27 Drawing Figure(s); 27 Drawing Page(s)	
LINE COUNT:	4621	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 8 OF 8 USPATFULL on STN

TI Method for the production of 1,3-propanediol by recombinant microorganisms
AB Recombinant organisms are provided comprising genes encoding glycerol-3-phosphate dehydrogenase, glycerol-3-phosphatase, glycerol dehydratase and 1,3-propanediol oxidoreductase activities useful for the production of 1,3-propanediol from a variety of carbon substrates.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ACCESSION NUMBER: 2000:4657 USPATFULL
TITLE: Method for the production of 1,3-propanediol by recombinant microorganisms
INVENTOR(S): Nakamura, Charles E., Claymont, DE, United States
Gatenby, Anthony A., Wilmington, DE, United States
Hsu, Amy Kuang-Hua, Redwood City, CA, United States
La Reau, Richard D., Mountain View, CA, United States
Haynie, Sharon L., Philadelphia, PA, United States
Diaz-Torres, Maria, San Mateo, CA, United States
Trimbur, Donald E., Redwood City, CA, United States
Whited, Gregory M., Belmont, CA, United States
Nagarajan, Vasantha, Wilmington, DE, United States
Payne, Mark S., Wilmington, DE, United States
Picataggio, Stephen K., Landenberg, PA, United States

PATENT ASSIGNEE(S): Nair, Ramesh V., Wilmington, DE, United States
E. I. du Pont de Nemours and Company, Wilmington, DE,
United States (U.S. corporation)
Genencor International, Palo Alto, CA, United States
(U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6013494		20000111	
APPLICATION INFO.:	US 1997-968563		19971112	(8)

	NUMBER	DATE	
PRIORITY INFORMATION:	US 1996-30601P	19961113	(60)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Railey, II, Johnny F.		
NUMBER OF CLAIMS:	13		
EXEMPLARY CLAIM:	1		
LINE COUNT:	3642		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.